

Common Name	Botanical Name	Origin	Health Issue
Abura	<i>Mitragina ciliata</i> Aubr. et Pellegr (Family: Rubiaceae)	Tropical Africa	Nausea, eye irritation, giddiness
A-Dead-Finish	<i>Acacia cyperophylla</i> F. Muell. (Family: Mimosaceae)	Australia	Wood splinter and thorns cause skin irritation, dust causes dermatitis
Afara	<i>Terminalia superba</i> Engl. Et Diels (Family: Combretaceae)	Central & West Africa	Splinters cause skin inflammation
African Blackwood	<i>Dalbergia melamoxylon</i>	Central & Southern Africa	Acute dermatitis, sneezing, conjunctivitis.
African Boxwood	<i>Gonioma kamassi</i> (Eckl.) May (Family: Apocynaceae)	South Africa	Irritation to nose and throat, headache, asthma fainting, shortness of breath, erythema
African Mahogany	<i>Khaya ivorensis</i> C.DC. L. <i>senegalensis</i> A.Juss K. <i>anthotheca</i> (Welw.) C.DC. (Family: Meliaceae)	West Africa	Irritation to mucous membranes, nasal cancer, irritation of alimentary tract.
African Walnut	<i>Lovoa trichilioides</i> Harms (Family: Meliaceae)	Tropical West Africa	Irritation to mucous membranes, nasal cancer, irritation of alimentary tract
Afrormosia	<i>Pericopsis elata</i> (Harms) van Meeuwen (Family: Papilionaceae)	Tropical West Africa	Dermatitis, rhinitis, asthma Agba <i>Gossweilerodendron balsamiferum</i> (Vermoes.) Harms (Family: Caesalpiniaceae) Dermatitis
Afzelia	<i>Afzelia</i> spp.	Africa & South East Asia	irritant, sneezing
Agba	<i>Gossweilerodendron balsamiferum</i>	Angola, Zaire, Nigeria	irritant, Dermatitis
Ailanthus	<i>Ailanthus altissima</i>	China	irritant, Dermatitis

Albizzia	<i>Albizia falcataria</i> (L.) Fosb. <i>A. minahassae</i> Koord, <i>A. spp.</i> (Family: <i>Mimosaceae</i>)	South East Asia, Pacific Australia	Irritation to nose, eyes, alimentary tract, nausea, dermatitis
Alder	<i>Alnus spp.</i> (Family: <i>Betulaceae</i>)	Europe, North America	Irritation to mucous membranes, nose, mouth, throat, genitals, armpits.
Alligator Juniper	<i>Juniperus deppeana</i>	South Western United States & Northern Mexico	irritant
Alpine Ash	<i>Eucalyptus delagatensis</i> (Family: <i>Myrtaceae</i>)	Australia	Irritation to nose, eyes and throat, dermatitis
Amboyna	<i>Pterocarpus indicus.</i>	Papua New Guinea , Philippines , Solomon Islands , South-East Asia.	irritant, asthma
American Mahogany	<i>Switenia mahogany</i> Jack S. <i>macrophylla</i> King (Family: <i>Meliaceae</i>)	Central America, northern South America, Mexico, plantations in Fiji	Skin irritation, giddiness, vomiting, furunculosis
Andiroba	<i>Carapa guinensis</i>	South and Central America and the West Indies	irritant, sneezing
Araracanga	<i>Aspidosperma megalocarpon</i>	Mexico, Central America, and northern South America	irritant, asthma
Ash	<i>Fraxinus</i> genus		irritant
Ash, Mountain)	<i>Eucalyptus regnans</i>	Australia	irritant
Australian Blackwood	<i>Acacia melanoxyton</i>	Australia	irritant, sensitizer, asthma
Australian Cashew Nut	<i>Semecarpus australiensis</i>	Australia	irritant, skin lesions, nosebleeds
Avodire	<i>Turraenthus africanus.</i>	Central and West Africa.	irritant, nose bleeds, internal bleeding, asthma

Balsa	<i>Ochroma pyramidale</i>	Tropical America	irritant
Bamboo	<i>Arundinaria, Bambusa, Pseudosasa, et al.</i>	Asia, Northern Australia, Central and Southern America	irritant
Bibu	<i>Holigarna arnottiana</i> Hook.f. - (Family: <i>Anacardiaceae</i>)	Indian Sub-Continent	Sap causes blistering of skin, eye irritation
Birch	<i>Betula</i> genus	Northern Europe, UK and Scandinavia.	irritant, sensitizer, nausea
Black Bean	<i>Castanospermum australe</i> A.Cunn. (Family: <i>Papilionaceae</i>)	Australia	Dermatitis, itchiness, irritation of mucous membranes
Black Cherry	<i>Prunus serotina</i> Ehrh. (Family: <i>Rosaceae</i>)	USA, Canada, Europe	Wheezing, giddiness
Black Locust	<i>Robinia pseudoacacia</i>	Central-eastern United States	irritant, nausea
Blackwood	<i>Acacia melanoxydon</i> (Family: <i>Mimosaceae</i>)	Australia, plantations in South Africa	Dermatitis, asthma, irritation to nose and throat, skin reactions.
Bloodwood	<i>Brosimum rubescens</i>	Tropical South America	irritant, excessive thirst, salivation, nausea
Bloodwood, Red	<i>Eucalyptus gummifera</i> .	Australia	irritant
Southern Blue Gum	<i>Eucalyptus globulus</i>	Australia	irritant, Dermatitis
Blue Mahoe	<i>Talipariti elatum</i>	Cuba and Jamaica	sneezing
Bocote	(1) <i>Cordia alliodora</i> (2) <i>Cordia elaeagnoides</i> & <i>C. gerascanthus</i>	Tropical South America. <i>C. elaeagnoides</i> and <i>C. gerascanthus</i> are found principally in Mexico	Cross reactions possible once sensitivity to other woods have developed
Bosse	<i>Guarea cedrata</i> , <i>G. cedrelo</i> & <i>G. thompsonii</i>	Tropical West Africa	irritant, sensitizer, asthma, nausea, headache
Box, White	<i>Eucalyptus albens</i>	Australia	irritant, rash

Boxwood	<i>Buxus sempervirens</i>	Europe, northwest Africa, and southwest Asia	irritant, sensitizer
Brazilian Rosewood	<i>Dalbergia Nigra</i>	Brazil	irritant, sensitizer
Brazilwood	<i>Caesalpinia echinata, syn Guilandina echinata</i>	Brazil	Headache, nausea, painful swelling of arms, visual disturbances
Brigalow	<i>Acacia harpophylla (Family: Mimosaceae)</i>	Australia	irritant, Dermatitis
Brownheart	<i>Vouacapoua americana</i>	Northeastern South America	irritant
Bubinga	<i>Guibortia demeusei.</i>	Cameroon , Zaire , Zambia and Gabon	irritant, lesions
Buckthorn	<i>Rhamnus cathartica</i>	Europe, North America, Asia, and northern Africa	irritant, sap can cause dermatitis
Bulletwood	<i>Manilkara bidentata</i>	Caribbean, Central and South America	irritant
Calophyllum	<i>Calophyllum spp - principally C. vitiense, C leucaocarpum, C. paludosum, C. kajewskii, C. papuanum: (Family: Guttiferae)</i>	S.E. Asia, Pacific, New Caledonia, Australia, New Guinea	Dermatitis, kidney damage, irritation to nose and throat
Camphor Laurel	<i>Cinnamomum camphora</i>	Korea Jeju, Taiwan, southern Japan, southeast China and Indochina Introduced Australia 1822	irritant, asthma, headaches, giddiness
Caroba	<i>Jacaranda caroba (Veel.) DC. (Family: Bignoniaceae)</i>	Brazil	Dermatitis
Cashew-Nut	<i>Anacardium occidentale L. (Family: Anacardiaceae)</i>	Central and South America	irritant, sensitizer, Sap causes blisters, wood dust dermatitis.

Catalpa	<i>Catalpa speciosa</i>	North America	irritant
Cedar of Lebanon	<i>Cedrus libani</i>	Mediterranean region	irritant, asthma, respiratory disorders
Cedar, Alaskan Yellow	<i>Chamaecyparis nootatensis.</i>	Pacific Coast from Alaska to Oregon, USA	irritant
Red Cedar	<i>Juniperus virginiana</i>	Eastern North America	irritant
Cedar, Australian Red	<i>Toona australis or Cedrela toona</i>	Australia	irritant, asthma, migraine, giddiness, bronchitis, stomach cramps, NPC (rare)
Cedar, Incense	<i>Caldoceadrus decurrens</i>	Western North America	irritant, rashes
Cedar, Northern White	<i>Thuja occidentalis</i>	Northeastern North America	irritant, asthma
Cedar, Port Orford	<i>Chamaecyparis lawsoniana</i>	Pacific northwest United States	irritant, runny nose, asthma, kidney problems (diuresis)
Cedar, Southern Red	<i>Juniperus virginiana</i>	Eastern North America	irritant
Cedar, Spanish	<i>Cedrela odorata</i>	Central and South America and the Caribbean	irritant
Cedar, Western Red	<i>Thuja plicata.</i>	Canada , USA	irritant, sensitizer, asthma, nervous system effects, NPC (rare)
Cedar, Atlantic White	<i>Cedrus deodara</i>	India	irritant
Chechen	<i>Metopium brownei</i>	Dominican Republic, Cuba, Jamaica, northern Guatemala, Belize, and southeastern Mexico	irritant, sensitizer
Chestnut, Chinese	<i>Castanea mollissima</i>	North America	irritant

Chestnut, Sweet	<i>Castanea sativa</i>	Europe and Asia Minor	irritant, sensitizer
Chinaberry	<i>Melia azedarach, var australasica</i>	New South Wales and Queensland. Also found in Oceania and parts of Asia	irritant, headaches
Chinese Sumach	<i>Ailanthus altissima</i> (Mill.) Swingle (Family: Simarubaceae)	China	Dermatitis
Cocobolo	<i>Dalbergia granadillo</i> Pitt. D. <i>retusa</i> Hemsl. (Family: Papilionaceae)	Central America, Mexico	Dermatitis, irritation to nose and throat, conjunctivitis, bronchial asthma, nausea
Kingwood	<i>Dalbergia cearnsis</i>	Tropical South America - mainly Brazil	Acute dermatitis, sneezing, conjunctivitis.
Cocuswood	<i>Brya ebenus</i> (L.) DC. (Family: Papilionaceae)	Central America	irritant, Dermatitis
coolibah	<i>Eucalyptus microtheca, E. intertexta</i>	Northern, Western and Central Australia	Bark and wood dust may cause skin irritation
Cooliman/Coolaman Tree (Shitwood)	<i>Gyrocarpus americanus subsp. pachyphyllus</i> Kubitzki	WestAustralia & Northern Territory	Can cause blindness.
Copaia	<i>Jacaranda copaia</i>	South America	irritant
Crows Ash	<i>Flindersia australis</i> R.Br. (Family: Rutaceae) - <i>Swietenia mahogani</i>	Australia, New Guinea	Dermatitis
Cuban Mahogany		Southern Florida and the Caribbean	irritant
Cypress, Australian	<i>callitris glauca</i>	Australia	irritant, asthma, swelling of eyelids, boils, NPC (rare)
Cypress, Gowen	<i>Cupressus goveniana</i>	California	irritant
Cypress, Leyland	<i>Cupressus x leylandii</i>	Wales, UK	irritant

Cypress, Mediterranean	<i>Cupressus sempervirens</i>	California	irritant, rashes, headaches
Cypress, Mexican	<i>Cupressus lusitanica</i>	Mexico and Central America	irritant
Cypress, Monterey	<i>Cupressus macrocarpa</i>	California	irritant
Dahoma	<i>Piptadeniastrum Africanum</i> (Hook.f.) Brenan (Family: Mimosaceae)	Africa	irritant, sensitizer, Dermatitis, coughing, sneezing, nose bleeding
Dead Finish	<i>Acacia carnei</i> & <i>A. tetragonophylla</i>	New South Wales	irritant, splinters go septic
Difundu	<i>Vitex congolensis</i> De Wild. Et Th.Dur. (Family: Verbenaceae)	Africa	Dermatitis
Djohar	<i>Cassia siamea</i> Lam. <i>Cassia</i> spp. (Family: Caesalpiniaceae)	South East Asia, India, Australia	Skin discoloration, eye irritation, keratitis
Douglas Fir (Oregon)	<i>Psuedosuga menziesii</i> (Family: Pinaceae)	USA, Canada, plantations in New Zealand, Australia & Europe	irritant, sensitizer; Dermatitis, nasal cancer, irritation to eyes and throat, vomiting
East Indian Rosewood	<i>Dalbergia latifolia</i> , <i>D. javanica</i> , <i>D. marginata</i> , <i>D. sisso.</i>	Southern India and parts of South East Asia	irritant, sensitizer
East Indian Satinwood	<i>Chloroxylon swietenia</i> DC. (Family: Rutaceae)	India, Pakistan, Ceylon	Dermatitis, headache, swelling of scrotum, irritation of mucous membranes
Ebonies -	<i>Diospyros</i> sp (Family: Ebenaceae)	Africa, Malagasy, Ceylon, South East Asia	Skin inflammation, acute dermatitis, sneezing, conjunctivitis
Ebony, Brown	<i>Caesalpinia paraguariensis</i>	South America	irritant
Ebony, Macassar	<i>Diospyros celebica</i>	Celebes Islands	irritant, sensitizer

Ekki	<i>Lophira alata</i>	West Africa	irritant
European Beech -	<i>Fagus sylvatica</i> (Family: <i>Fagaceae</i>)	Europe	Nasal and sinus cancer, dermatitis.
European Boxwood	<i>Buxus sempervirens</i> L. (Family: <i>Buxaceae</i>)	Southern Europe, Asia Minor	Dermatitis, irritation to nose, eyes and throat
European Elm	<i>ulmus</i> spp. (Family: <i>Ulmaceae</i>)	Europe	Dermatitis, irritation of mucous membranes, cancer
European Oaks	<i>Quercus petraea</i> & <i>Q. pendunculata</i> .	UK , Central and Western Europe and into Russian Siberia	Dermatitis, sneezing, nasal cancer.
European Walnut	<i>Juglans regia</i> L. (Family: <i>Juglandiaceae</i>)	Europe, Asia Minor	Dermatitis, nasal cancer
Eyum	<i>Dialium dinklageri</i> Harms (Family: <i>Caesalpiniaceae</i>)	Africa	Irritation of nose and throat, dermatitis
Fir, Balsam	<i>Abies balsamea</i>	Pacific Northwest region of North America	irritant
Freijo	<i>Cordia goeldiana</i> & <i>C. trichotoma</i>	Brazil - Amazon basin	sensitizer
Gaboon	<i>Aukoumea klaineana</i> Pierre (Family: <i>Burseraceae</i>)	Equatorial Africa	Itchy skin, irritation to eyes and nose
Garapa	<i>Apuleia leiocarpa</i>	South America	irritant
Gedu Nohor	<i>Entandrophragma angolense</i> C. DC., <i>Entandrophragma macrophyllum</i> A. Chev. (Fam. <i>Meliaceae</i>)	tropical West- and Central Africa: Angola, Equatorial Guinea, Ivory Coast, Gabon, Ghana, Cameroon, Congo, Liberia, Nigeria, Uganda, Zaire, Central African Republic	irritant
Goncalo Alves	<i>Astronium fraxinifolium</i> & <i>A. graveolens</i>	Brazil	sensitizer

Grass Tree (Blackboy)	<i>Xanthorrhoea sp.</i>	Australia	Dermatitis and skin reactions.
Greenheart	<i>Ocotea rodiaei</i> Mez. (Family: Lauraceae)	Northern South America	sensitizer, Headache, wheezing, shortness of breath, disturbance of vision, diarrhoea, erythema
Grey Box	<i>Eucalyptus hemiphloia</i> F.	New South Wales and in Tropical West Africa	eczema, irritation to mucous membranes
Guarea	<i>Guarea spp.</i> (Family: Meliaceae)		Dermatitis, asthma, nausea, disturbance of vision, headache: Gutta Percha Excoecaria parvifolia temporary blindness from milky sap in the eye.
Gum, Lemon-Scented	<i>Corymbia citriodora</i> (formerly <i>Eucalyptus citriodora</i>)	central and north coast of Queensland	irritant
Gum, Spotted	<i>Corymbia maculata</i> (Formerly <i>Eucalyptus maculata</i>)	Southern Victoria through New South Wales into Central Queensland on the coastal plains	irritant, rashes
Gum, Yellow	<i>Eucalyptus Leucoxylon. ssp E. megalocarpa, E. pruinosa, E. petiolaris.</i>	South Australia and Western Victoria	irritant
Hackberry	<i>Celtis occidentalis</i> - North America: <i>C.paniculata</i> - Australia	Southern Canada & Eastern USA. Queensland, Australia	irritant
Hemlock, Eastern	<i>Tsuga heterophylla</i>	USA and Western Canada.	irritant
Hemlock, Mountain	<i>Tsuga mertensiana</i>	Northwest coast of North America	irritant

Hemlock,		Northwest coast of North America	irritant, NPC (rare)
Western Hophornbeam	<i>Tsuga heterophylla</i>		
Idigbo	<i>Ostrya virginiana</i>	Eastern North America	irritant
Imbuia/ Imbuya	<i>Terminalia ivorensis</i>	West tropical Africa	irritant
	<i>Phoebe porosa.</i>	Southern Brazil	irritant
Indian Beech	<i>Pongamia pinnata, syn. Millettia pinnata aka Taun, Honge, Pongam, Balocbaloc</i>	south-east Asia and India	
			irritant
Indian Rosewood	<i>Dalbergia Latifolia Roxb. (Family: Papilionaceae)</i>	South East Asia, India, New Guinea	Dermatitis
Ipe	<i>Tabebuia spp. (Family: Bignoniaceae)</i>	Northern South America	Dermatitis, shortness of breath, headache, disturbance of vision
Iroko	<i>Chlorophora excelsa Lam. (Family: Moraceae)</i>	Tropical West & East Africa	Dermatitis, furunculosis, oedema of eyelids, respiratory difficulties, giddiness
Ironwood, Desert	<i>Olneya tesota</i>	Southwestern United States and Northwestern Mexico	irritant, sneezing, coughing
Ivorywood	<i>Balfourodendron riedelianum (Family: Rutaceae)</i>	Tropical South America	Dermatitis
jacareuba	<i>Calophyllum brasiliense (Family: Guttiferae)</i>	Central and South America	Dermatitis, loss of appetite, kidney damage, fainting, insomnia
Jarra	<i>Eucalyptus marginata</i>	South Western corner of Western Australia	Irritation to nose, throat and eyes
Jatoba		eastern Peru , northern Bolivia to Brazil , Venezuela and Colombia	irritant
Jelutong	<i>Hymeneae courbaril</i>		
Juniper,	<i>Dyera costulata</i>	Malaysia and Indonesia	irritant
	<i>Phoenician (Juniperus</i>	Mediterranean region	irritant, headache, nausea

Karri	<i>Eucalyptus diversicolor</i> <i>Swartzia cubensis</i>	South Western corner of Western Australia	irritant
Katalox		Southern Mexico, Central America, and northern South America	irritant
Keruing	<i>Dipterocarpus</i> spp. (Family: Dipterocarpaceae)	South East Asia	Dermatitis
Kingwood	<i>Dalbergia cearnsis</i>	Tropical South America - mainly Brazil	irritant, sensitizer, conjunctivitis
Kwila (Merbau)	<i>Intsia bijuga</i> . <i>I.palem banica</i> (Family: Caesalpiniaceae) -	Australia, New Guinea, Pacific Islands, South East Asia	Dermatitis, rhinitis, Irritation to nose and throat
Laburnum	<i>Laburnum anagyroides</i>	Central and Southern Europe	constitutional effects (nausea, vomiting, headaches); direct toxin
Larch	<i>Larix</i> genus	Europe	irritant, hives, lesions
Leadwood	<i>Combretum</i> genus	South Africa north to Tanzania	irritant
Lemon Scented Gum	<i>Corymbia citriodora</i>	central and north coast of Queensland	Dermatitis.
Lignum Vitae	<i>Guaiacum</i> spp. (Family: Zygophyllaceae)	West Indies, Central & northern South America	Dermatitis
Limba	<i>Terminalia superba</i> (Family: Combretaceae)	Tropical Africa	irritant, hives, splinters go septic, asthma, bleeding of the nose and Irritation to eyes, nose and throat
Lingue	<i>Azelia africana</i> (Family: Caesalpiniaceae)	Africa	
Machiche	<i>Lonchocarpus</i> spp.)	tropical America	irritant
Magnolia	<i>Magnolia</i> genus	Queensland and Papua New Guinea	asthma, runny nose
Mahogany, African	<i>Khaya ivorensis</i> , <i>K. nyasica</i> , <i>K. anthotheca</i> , <i>K grandifoliola</i> .	Tropical central, west and east Africa	irritant, sensitizer, NPC (rare)

Mahogany, Honduran	<i>Swietenia macrophylla</i>	Central and South America and several islands in the West Indies	irritant, sensitizer, boils, nausea, giddiness, asthma, HP
Mahogany, Santos	<i>Myroxylon balsamum</i>	Southern Mexico and Central and South America	irritant
Makassar Ebony	<i>Diospyros Celebica</i> (Family: <i>Tieghemella heckelii</i> (Family: <i>Sapotaceae</i>))	Celebes Islands West Africa	Dermatitis Dermatitis, nose bleeding, asthma, sneezing, nausea, headache, giddiness
Makore	<i>Mangifera indica</i>	Tropical Asia and Oceania	irritant
Mango	<i>Mansonia altissima</i> (Family: <i>Sterculiaceae</i>)	Tropical West Africa	Dermatitis, nausea, vomiting, nose bleeding, sneezing, giddiness, asthma, splinters go septic
Mansonia	<i>Acer genus</i>	USA	irritant, sensitizer, asthma; HP in spalted maple
Maple	<i>Flindersia brayleyana</i>	North Queensland	irritant
Maple, Queensland	<i>Semecarpus australiensis</i> (Family: <i>Anacardiaceae</i>)	Australia, India	Sap and wood dust may cause skin lesions, eye irritation, nose bleeding
Marking Nut	<i>Simarouba amara</i>	South and Central America	irritant
Marupa	<i>Lucuma procera</i> (Family: <i>Sapotacheae</i>)	Northern South America	Dermatitis
massaranduba	(Red, White, Yellow) <i>Shorea</i> spp (Family: <i>Dipterocarpaceae</i>) -	South East Asia	Dermatitis, Irritation to nose, throat and eyes
Meranti			

Merbau	<i>Intsia bijuga</i> & <i>I. Palembangica</i> <i>Prosopis</i> genus	Malaysia , Philippines , Papua New Guinea , Solomon Islands and Fiji and North Queensland North and South America	irritant
Mesquite			irritant
Messmate	<i>Eucalyptus obliqua</i> (Family: <i>Myrtaceae</i>) -	Australia, plantation in Africa, Europe and South America	Dermatitis, asthma, sneezing,
Milky Mangrove	<i>Excoecarya agalloche</i> (Family: <i>Euphorbiaceae</i>)	Australia, South East Asia, Pacific	Sap may cause irritation to eyes, even temporary blindness, headache, burning of throat, blistering of skin
Missanda		Cameroon, Congo, Equatorial Guinea, Gabon, Ghana, Guinea Bissau, Ivory Coast, Mozambique, Nigeria, Senegal, Sierra Leone, Tanzania, Zaire, Zambia	irritant, headache, giddiness, nausea, disorders of bowels and stomach
Miva mahogany	<i>Erythrophleum suaveolens</i> <i>Dysoxylum muelleri</i> (Family: <i>Meliaceae</i>)	Australia	Congestion of lungs, eye inflammation, irritation of mucous membranes, headache, nose bleed, loss of appetite
Molompangady	<i>Breonia</i> spp. (Family: <i>Rubiaceae</i>) <i>Samanea saman</i>	Malagasy	Dermatitis, sores
Monkeypod		Central and South America	irritant
Mora	<i>Maclura tinctoria</i>	Guatemala	irritant
Mountain Ash	<i>Eucalyptus regnans</i> (Family: <i>Myrtaceae</i>) -	Australia, plantations in South America, Africa, Europe	Irritation to nose, throat and eyes, dermatitis

Movingui	<i>Distemonanthus</i>	West Africa	irritant
Muhuhu	<i>Brachylaena hutchinsii</i> (Family: Compositae)	Tanzania, Kenya, Uganda	Dermatitis
Mulga	<i>Acacia aneura</i>	Australia	Wood contains a virulent poisonous principle, used for spear heads by aboriginals. Dust may cause irritation to mucous membranes, headache, vomiting
Muninga	<i>Pterocarpus angolensis</i>	South-central Africa	Bronchitis, asthma, dermatitis
Myrtle Beech	<i>nothofagus cunninghamii</i>	West, North West and West, North West and Eastern coast of Tasmania and the Eastern and Southern ranges of Victoria through to Central New South Wales	Irritation to mucous membranes
Myrtle, Tasmanian			irritant
Nara	<i>Nothofagus cunninghamii</i>	Papua New Guinea , Philippines , Solomon Islands , South-East Asia	irritant, asthma
Needlewood	<i>Pterocarpus indicus.</i> <i>Schima wallachii</i> (Family: Theaceae)	India, South East Asia	Bark causes skin irritation
New Zealand White Pine	<i>Dacrycarpus dacryoides</i> (Family: Podocarpaceae)	New Zealand	Dermatitis, irritation to nose, throat
NG Rosewood	<i>Pterocarpus indicus.</i>	Papua New Guinea , Philippines , Solomon Islands , South-East Asia	Dermatitis, asthma, irritation to mucous membranes

Nkassa	<i>Erythrophlewn le-testui</i> (Family: <i>Caesalpinaceae</i>)	Cameroon, Congo, Equatorial Guinea, Gabon, Ghana, Guinea Bissau, Ivory Coast, Mozambique, Nigeria, Senegal, Sierra Leone, Tanzania, Zaire, Zambia	Headache, giddiness, vomiting, disorders of bowels & stomach, irritation to nose & throat
Northern Silky Oak	<i>Cardwellia sublimis</i>	Queensland between Townsville and Bloomfield	Green timber may cause dermatitis
<i>Cardwellia sublimis</i>			
Northern Coolibah	<i>Eucalyptus microtheca</i>	Northern, Western and Central Australia	Skin irritation.
Norway Spruce	<i>Picea abies</i>	Northern and central Europe South-east Asia and the Philippines	irritant, asthma
Nyatoh	<i>Palaquium maingayi</i> , <i>P. rostratum</i> , <i>P. xanthochyllum</i> and <i>Payena maingayi</i> (European and Japanese)		Irritation to mucous membranes.
Oak		Europe, Japan, China	Nasal cancer, dermatitis, sneezing
Obeche		Cameroon , Ghana , Ivory Coast	Asthma, sneezing, congestion of lungs, hives
Odoum	<i>Triplochiton scleroxylon</i> <i>Chlorophora regia</i> (Family:	tropical east and West Equatorial Africa - Guinea, Gabon, Congo, Zaire.	Dermatitis, irritation to nose and
Okoume			irritant, cough, asthma, conjunctivitis
Oleander	<i>Aucoumea klaineana</i> . (<i>Nerium oleander</i>)	Cameroon. subtropical and tropical areas of the world	irritant, nearly every part of the plant is toxic, cardiac effects
Olive	<i>Olea europae</i>	Mediterranean countries	irritant, sensitizer
Opepe	<i>Nauclea diderrichii</i>	Africa	irritant, sensitizer, nervous system effects
Osage Orange	<i>Maclura pomifera</i>	North America	irritant, sap can cause dermatitis

Padauk	<i>Pterocarpus soyauxii</i> (African Padauk); <i>Pterocarpus macrocarpus</i> (Burma Padauk); <i>Pterocarpus dalbergiodes</i> (Andaman Padauk)	Africa, New Guinea, S.E. Asia, Andaman Islands	Asthma, dermatitis, irritation to mucous membranes.
Palisandre Wood	<i>Jacaranda brasiliana</i> (Family: Bignoniaceae)	South America	Dermatitis
Palm	<i>Areaceae</i> family	tropical, subtropical, and warm temperate climates	irritant, constitutional effects
Parinari	<i>Parinari</i> spp. (Family: Rosaceae)	Central and northern South America, Africa, South East Asia, Pacific, New Guinea	Dermatitis
Pau Amarello	<i>Euxylophora paraensis</i> (Family: Rutaceae)	South America	Dermatitis
Pau Ferro	<i>Caesalpinia echinata</i> , syn <i>Guilandina echinata</i>	Brazil	irritant, sensitizer
Pau Marfim	<i>Balfourodendron riedelianum</i>	Argentina and Brazil	irritant
Pau Rosa	<i>Dalbergia frutescens</i>	Brazil	irritant
Peroba Rosa	<i>Aspidosperma peroba</i>	Brazil	irritant, sensitizer, nausea, asthma
Persimmon	<i>Diospyros virginiana</i>	Southern & Central United States	irritant
Pheasantwood	<i>Senna siamea</i>	South/Southeast Asia	cavities in the wood can contain powder that is an irritant
Phoenician Juniper	<i>Juniperus phoenicea</i> (Family: Cupressaceae)	Central and southern Europe, northern Africa, South East Russia	Nausea, headache, skin irritation
Pine	<i>Pinus</i> genus	Northern Hemisphere	irritant, runny nose, asthma

Pistachio	<i>Pistacia vera</i>	Iran	irritant
Poison Walnut	<i>Endiandra pleurosperma</i> (Family: Lauraceae) -	North Queensland	Bark very irritating to skin. Dust may cause breathing problems, vomiting, giddiness, dermatitis, sap is toxic and corrosive
Poplar	<i>Populus spp.</i> (Family: Salicaceae)	Nth America, Europe, east Asia	Asthma, dermatitis, bronchitis, blisters
Port Orford Cedar	<i>Chamaecyparis lawsoniana</i>	Pacific northwest United States	Dermatitis
Primavera	<i>Roseodendron donnell-smithii</i>	Central America	irritant, sensitizer
Purpleheart	<i>Peltogyne pubescens, P. porphyrocardia, P. vemoso, P. conteriflora, P. paniculata & P. purpurea.</i>	Central America and tropical South America	irritant, sensitizer, nausea
Quebracho	<i>Schinopsis spp.</i>	Tropical South America	irritant, nausea, NPC (rare)
Queensland Maple	<i>Flindersia brayleyana</i>	North Queensland	Dermatitis
Quina	<i>Myroxylon peruiferum</i>	Southern Mexico and Central and South America	irritant
Ramin	<i>Gonystylus spp.</i> (Family: Thimelaeaceae)	S E Asia, New Guinea, Pacific	Sharp fibres cause skin irritation & infection
Red Bloodwoods	<i>Corymbia gummifera</i>	eastern Australia	Irritation to eyes and skin.
Red Cedar	<i>Toona ciliata</i> (Family: Meliaceae)	Australia, South East Asia, New Guinea, India, plantations in Central America	Violent headache, giddiness, stomach cramps, asthma, bronchitis, dermatitis, irritation of mucous membranes
Red Lancewood	<i>Manilkara huberi</i> (Family: Sapotaceae)	Northern South America	Dermatitis

Red Peroba	<i>Aspidosperma peroba</i> (Family: Apocynaceae)	South America	Nausea, sweating, asthma, cramps, drowsiness, fainting, irritation of mucous membranes, dermatitis
Red Silky Oak / Beefwood	<i>Stenocarpus salignus</i>	Australian rainforest	Irritation to mucous membranes.
Red Siris or Mackay Cedar	<i>Albizia toona</i> (Family: Mimosaceae)	Australia	Dermatitis, nose bleed, conjunctivitis, giddiness
Redwood (USA)	<i>Sequoiia sempervirens</i> (Family: Taxodiaceae)	North America	Dermatitis, asthma
Rengas	<i>Gluta spp and Melanorrhoea spp.</i> (Family: Anacardiaceae) -	South East Asia, New Guinea, Malagasy	Bark, sap and wood dust irritating to skin, causing dermatitis, blistering, chronic ulcers
Rhodesian Teak	<i>Baikiaea plurijuga</i>	Zimbabwe (formerly Rhodesia) and other countries in southern Africa	irritant
Rimu (NZ)	<i>Dacrydium cupressinum</i> (Family: Cupressaceae) -	New Zealand	Irritation to nose, eyes
Rose Butternut	<i>Blepharocarya involucrigera</i> (Family: Anacardiaceae)	Australia	Dermatitis, conjunctivitis
Rosewood	<i>Dalbergia Nigra</i>	Brazil	irritant, sensitizer, asthma
Rosewood	<i>Dalbergia latifolia, D. javanica, D. marginata, D. sisso.</i>	Southern India and parts of South East Asia	
Rosewood	<i>Pterocarpus indicus</i> (Family: Papilionaceae)	New Guinea , Philippines , Solomon Islands , South-East Asia.	Dermatitis, asthma
Rubberwood	<i>Hevea brasiliensis</i>	South East Asia - Malaysia	irritant, sensitizer (latex allergy)

Safron-heart	<i>Halfordia scleroxyyla</i> (Family: Rutaceae)	Australia, New Guinea	Splinters cause skin Infection. Dust causes dermatitis, congestion of lungs
Sapele	<i>Entandophragma cylindricum</i> (Family: Meliaceae)	Central, West and East Africa	Skin irritation, sneezing
Sassafras	<i>Doryphora sassafras</i> & <i>Daphnandra. micrantha.</i>	Central New South Wales to southern Queensland	sensitizer, nausea, respiratory, direct toxin, NPC (rare)
Satine	<i>Brosimum spp.</i> (Family: Moraceae)	South America	Excessive salivation, feeling of thirst, nausea
Satinwood, West Indian	<i>Zanthoxylum flavum</i>	Caribbean	irritant, diarrhea, rash, blisters, sensitizer
Satinwood, East Indian	<i>Chloroxylon swietenia</i>	India, Sri Lanka, and Indonesia	irritant, headache, diarrhea, sensitizer
Shittim	<i>Acacia seya</i>	Northern tropical Africa	irritant, coughing
Silky Beech	<i>Citronella moorei</i>	NSW, Queensland	Irritation to nose and eyes.
Silky Oak	<i>Cardwellia sublimis</i>	Queensland	Green timber may cause dermatitis
Silky Oak	<i>Grevillea robusta</i> (Southern), (Family: Protaceae) -	North Coast of New South Wales and Southern Queensland	Sap may cause blistering of skin, inflammation of eyelids. Dust may cause dermatitis
Silver Silkwood	<i>Flindersia accuminata</i>	North Queensland	Irritation to nose and throat.
Sissoo	<i>Dalbergia latifolia, D. javanica, D. marginata, D. sisso.</i>	Southern India and parts of South East Asia.	irritant
Slash Pine	<i>Pinus elliottii</i>	south-eastern United States	Dermatitis, Asthma
Snakewood	<i>Piratinera guianensis syn Brosimum aubletti</i>	Central and Tropical South America	irritant
Sneezewood	<i>Ptaeroxylon obliquum</i>	South Africa, Zimbabwe, and Mozambique	irritant, oils within the wood cause violent sneezing

South American Cedar	<i>Cedrela</i> (Family: <i>Meliaceae</i>)	Central & South America, Mexico	Dermatitis, irritation to nose and throat, nasal cancer, asthma
South American Rosewood	<i>Dalbergia nigra</i> (Family: <i>papilionaceae</i>)	Brazil	Dermatitis
Spotted Gum	<i>Corymbia maculata</i> (Family: <i>Myrtaceae</i>) -	Australia, plantations in South America, Africa & Europe	Dermatitis
Spruce	<i>Picea spp.</i> (Family: <i>Coniferae</i>)	Nth. America, Japan, Europe Australia, Asia	Irritation to nose and throat
Stinging tree			Stinging hairs on leaves and bark have intensely irritating effect on skin, may cause paralysis, breathing problems, severe pain
Sucupira	<i>Dendrocnide moroides</i> <i>Bowditchia nitida</i>	tropical South America	irritant
Sumac	<i>Rhus spp.</i> (Family: <i>Anacardiaceae</i>)	Asia, Nth & Sth America, Europe	Bark causes blisters, dust may cause dermatitis
Sweetgum	<i>Liquidambar styraciflua</i>	eastern North America and	Dermatitis
Talh	<i>Acacia seyal</i> - (Family: <i>Mimosaceae</i>)	Egypt to Kenya and west Senegal	Dermatitis, coughing, irritation to mucous membranes
Tambootie	<i>Spirostachys africana</i>	Southern Africa	irritant, diarrhea, blindness, direct toxin
Tatajuba	<i>Bagassa guianensis</i>	Northeastern South America	irritant
Taun	<i>Pomettia pinnata</i> (Family: <i>Sapindaceae</i>)	South East Asia, New Guinea	Dermatitis, rhinitis
Teak	<i>Tectona grandis</i> (Family: <i>Verbenaceae</i>)	South and South East Asia, plantations in most tropics	Dermatitis, conjunctivitis, over sensitivity to light, swelling of scrotum, irritation to throat & nose, nausea

Thorny Yellowwood	<i>Zanthoxylum veneficum</i> (Family: Rutaceae)	New South Wales to tropical Queensland	Lesions made by thorns & splinters take a long time to heal. Dust causes dermatitis, cramp, eye & throat irritation, disturbance of vision
Thuja	<i>Tetraclinis articulata</i>	Atlas mountain region (primarily Morocco, as well as subpopulations in Malta and southern Spain)	irritant
Turpentine	<i>Syncarpia glomifera</i>	Central New South Wales through to Northern Queensland	Inflation of mucous membranes
Tzalam	<i>Lysiloma latisiliquum</i>	Mexico and Central America	cold-like symptoms
Utile	<i>Entandrophragma utile</i>	West and East Africa	irritant
Verawood	<i>Bulnesia sarmientoi</i>	Central America and northern South America	sneezing
Walnut, African	<i>Lovoa trichiloides</i>	Tropical West Africa	dermatitis and irritation of mucous membranes.
Walnut, Black	<i>Juglans nigra</i>	Eastern United States	dermatitis and irritation of mucous membranes.
Walnut, English	<i>Juglans regia</i>	Eastern Europe and western Asia	dermatitis and irritation of mucous membranes.
Wamara	<i>Swartzia benthamiana</i>	Southern Mexico, Central America, and northern South America	irritant
Wenge	<i>Millettia laurentii</i>	Zaire , Congo , Cameroon , Gabon	irritant, sensitizer, splinters go septic, nervous system effects

West Indian Satinwood	<i>Zanthoxylum flavum</i> (Family: Rutaceae)	Anguilla, Antigua and Barbuda, the Bahamas, Bermuda, Cuba, the Dominican Republic, Guadeloupe, Haiti, Jamaica, Puerto Rico	Dermatitis, giddiness, nausea, lethargy, gangrene, visual disturbances
Western Hemlock	<i>Tsuga heterophylla</i> (Family: Juniperus occidentalis)	USA and Western Canada	Dermatitis, eczema by sap or wood dust
Western Juniper		Southeast Washington, eastern and central Oregon, southwest Idaho, northeastern California and extreme northwest Nevada	irritant
Western Red Cedar	<i>Thuja plicata</i> (Family: Cupressaceae)	Canada, USA and introduced to Europe	Dermatitis, asthma, nasal cancer, nose bleeds, giddiness, rhinitis and stomach pains.
White Baltic	<i>Picea abies</i> (Family: Pinaceae)	Europe	Asthma, skin irritation
White Cedar	<i>Thuja occidentalis</i> (Family: Cupressaceae)	Eastern North America	Dermatitis
White Cyprus Pine	<i>Callitris columellaris</i> (Family: Cupressaceae)	Inland Australia	Dermatitis, swelling of eyelids, asthma, irritation of nose and throat, nasal cancer, furunculosis
White handlewood	<i>Streblus brunonianus</i>	New South Wales, Queensland	Sap very irritant to eye, dust causes dermatitis, abdominal pains, nausea
White Peroba	<i>Paratecoma peroba</i> (Family: Bignoniaceae)	South America	Dermatitis, asthma
Willow	<i>Salix Alba, S. fragilis, S. discolors, S. Babylonia & S. nigra.</i>	Europe, Western Asia and North Africa	sensitizer, nausea, NPC (rare)

Yang	<i>Dipterocarpus alatus</i> (Family: Dipterocarpaceae)	South East Asia and India	Dermatitis, inflammation of mucous membranes, furunculosis, inflammation caused by splinters
Yellow Gum	<i>Eucalyptus Leucoxydon-</i> (Family: Myrtaceae)	South Australia and Western Victoria	Irritation to nose and throat
Yellowheart	<i>Euxylophora paraensis</i>	Brazil	irritant
Yews	<i>Taxus bacatta</i> (Family: Taxaceae)	Europe, Asia Minor	Dermatitis, headache, congestion of lungs, nausea, fainting, irritation of alimentary tract, visual disturbances
Zebrawood	<i>Microberlinia brazzavillensis</i> & <i>M. bisulcata.</i>	Gabon and the Cameroon	sensitizer
Ziricote	<i>Cordia dodecandra</i>	Central America and Mexico	cross reactions possible once sensitivity to other woods have developed